



21세기의 선두주자 GeumSung Air Technical Co., Ltd.

● 신기술개발

● 최고의 품질

송풍기 사양서

FAN 주문시 아래내용을 기입하여 주시면 감사하겠습니다.

| FAN & BLOWER DATA SHEET | | | | SHEET NO. | |
|--|--------|---|---|--|--|
| CUSTOMER | | JOB. NO. | | | |
| LOCATION | | ITEM NO. | | | |
| SERVICE | | SER. NO. | | | |
| | | DATE | | 201 | |
| MODEL | FAN NO | FAN TYPE | Q' TY | set | |
| OPERATING CONDITION | | | | | |
| GAS COMPOSITION | | CAPACITY | | Nm ³ /min(DRY BASE) | |
| GAS DENSITY Kg/m ³ | | | | m ³ /min (at SUCTION) | |
| HUMIDIFIER % | | PRESSURE | SUCTION | mmAq | |
| TEMPERATURE °C | | DISCHARGE | | mmAq | |
| NOISE LEVEL dB at from SUCTION LINE | | TOTAL | | mmAq | |
| CODES & STANDARD | | ROTATION SPEED | | R.P.M. | |
| GD ² at DRIVE SHAFT END Kg-m ² | | | | | |
| CONSTRUCTION | | | | | |
| IMPELLER TYPE | | BEARING TYPE & NO. | | | |
| DIAMETER ϕ | | LUBE | | | |
| OUT AIR VELOCITY m/s | | METHOD of COOLING | | | |
| SUCTION SIZE | | COOLING WATER CAP. | | L/min | |
| DISCHARGE SIZE | | WEIGHT ASSEMBLY | | Kg | |
| V-BELT type row I | | OPERATING | | Kg | |
| MOTOR & FAN PULLEY (ϕ) (ϕ) | | COUPLING TYPE & MODEL | | | |
| PAINTING BASIC | | SHAFT SEAL | | | |
| FINAL | | FLOW CONTROL | | | |
| DRIVE TYPE <input type="checkbox"/> DIRECT <input type="checkbox"/> V-BELT | | INSTALLATION <input type="checkbox"/> INDOOR <input type="checkbox"/> OUTDOOR | | | |
| <input type="checkbox"/> COUPLING | | SUCTION <input type="checkbox"/> SINGLE <input type="checkbox"/> DOUBLE | | | |
| BASE <input type="checkbox"/> SINGLE <input type="checkbox"/> COMMON | | ISOLATOR <input type="checkbox"/> RUBBER <input type="checkbox"/> SPRING | | | |
| MATERIALS | | | | | |
| SHAFT BOSS | | IMPELLER | | FRAME | |
| PULLEY BEARING CASE | | CASING | | DAMPER | |
| VANE | | SHAFT SEAL | | | |
| MOTOR | | | | | |
| SUPPLIER | | MANUFACTURER | | TYPE | |
| Fr.NO. | | OUT PUT KW | | SPEED R.P.M. | |
| INSULATION CLASS | | BEARING | | RATED LOAD AMP. | |
| VOLTAGE V | | PHASE & POL. ϕ P | | CYCLE HZ | |
| ACCESSORY | | | | | |
| <input type="checkbox"/> COMMON BASE | | <input type="checkbox"/> SUCTION DAMPER | | <input type="checkbox"/> DISCH. DAMPER | |
| <input type="checkbox"/> ACTUATOR | | <input type="checkbox"/> SUCTION SCREEN | | <input type="checkbox"/> DISCH. GRILLE | |
| <input type="checkbox"/> COUPLING | | <input type="checkbox"/> MOTOR COVER | | <input type="checkbox"/> PULLEY & BELT | |
| <input type="checkbox"/> SILENCER | | <input type="checkbox"/> ISOLATOR | | <input type="checkbox"/> COMMON FLANGE | |
| <input type="checkbox"/> INSPECTION DOOR | | <input type="checkbox"/> SAFETY COVER | | <input type="checkbox"/> FOUNDATION BOLT | |
| SPARE PART | | | | | |
| <input type="checkbox"/> | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| <input type="checkbox"/> | | <input type="checkbox"/> | | <input type="checkbox"/> | |
| DISCHARGE MODEL (SUCTION VIEW) | | | MOTOR POSITION (TOP VIEW) | | |
| <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/> E <input type="checkbox"/> F  | | |  | | |
| REMARKS | | | | | |
| PREPARED | | CHECKED | | APPROVAL | |